

LUDO OCEAN 2-1

Code: 01-LU-721-O



Social-



Sliding



Role-



Sensory



emotional Cognitive down Climbing Integratio Interactio Socialisat playing Balancing integratio Manipulat
 n n ion

Description

LUDO OCEAN 2-1 Playset inspired by the ocean transforms the playground into an adventurous underwater world full of exploration and discovery. The equipment includes, among others, two towers with platforms, a slide, a climbing ramp, a chain bridge, and a panel with a transparent window. The structure is made of S235 steel, protected against corrosion by galvanizing and powder coating. The slide is made of stainless steel sheet. The panel and decorative elements are made of HDPE. The platforms and step are made of HPL Hexa board.

Playground device consists of

- 8 structural posts
- 1 panel with a transparent round window and marine-themed engravings
- 1 tower with a platform
- 1 tower with a platform and a roof
- 7 handrails
- 1 straight slide
- 1 climbing ramp with 3 steps (octopus tentacles)
- 1 fireman's pole
- 1 access step
- 1 access rung
- 1 suspended bridge supported by chains (3 shells)
- Decorative elements (seaweed, air bubbles, octopus)

Product details

- Dimensions (LxWxH): 1,97 x 3,79 x 3,2 m
- Safety area (LxW): 5,31 x 6,79 m
- Maximum fall height: 0,9 m
- Age group: 3+
- Number of users: 11
- Dimensional tolerance: +/- 5%

Materials

- The structure is made of S235 carbon steel, galvanized and powder-coated, with 80 x 80 mm posts and a 2 mm wall thickness.
- The platforms in graphite colour made of 10 mm thick HPL Hexa panels.
- The panel with decorative elements is made of 15 mm thick HDPE, with a central transparent window made of 5 mm thick transparent polycarbonate sheet.
- The slide is made of 1.5 mm thick stainless steel with side panels made of 15 mm thick HDPE.
- The access step is made of 10 mm thick Hexa HPL board, with side panels made of 15 mm thick HDPE.
- The climbing ramp is made of 10 mm thick Hexa HPL board, with climbing elements and side panels made of 15 mm thick HDPE.

- The fireman's pole, a bent tube, is made of S235JR steel, with a tube diameter of 42.4 mm and a 2 mm wall thickness, powder-coated.
- The chain bridge consists of steps made of HDPE, with 6 mm diameter stainless steel chains.
- The handrails are made of S235JR steel with a diameter of 33.7 mm and a 2 mm wall thickness, powder-coated.
- The decorative elements are made of 15 mm thick HDPE boards.

All images are for illustrative purposes only and may vary from the actual product.



